DULEVO® INTERNATIONAL

7500

INDUSTRIAL AND CLEANING EQUIPMENT

Concept

The use of the most advanced technology and high quality components is the appropriate response to the requests of a demanding market. Dust and debris are collected through the suction mouth, the rotating brush and the central brush. In the base version, the sweeping width reaches 2200 millimeters. This suction and sweeping system, which allows for a constant and high cleaning performance, even in a heavy usage, is a guarantee of ease of use and maintenance.

The Dulevo 7500 is the ideal sweeper for cleaning roads, parking, and large public and industrial areas. The waste hopper capacity of 6 cubic meters allows a fair compromise between a high sweeping autonomy and a content footprint, guarantee of compactness versatility and manoeuvrability.

Control Panel

The command panel is placed beside the driving seat in comfortable position and easily reachable by the operator. Of robust construction (made entirely of sheet metal) and with large dimensions, allows the operator, with a single glance, to constantly have the control of each device of the sweeper without having to resort to any menu on display (rotation speed of the auxiliary engine, coolant temperature of the auxiliary engine, pressure of the pneumatic installation of the equipment, hours of work, water distribution on different nozzles to reduce the dust, brushes and suction nozzle in operation, pressure of brushes on the ground, lights lighting area of work and rotating beacons, commands lifting and closing the dirt container, overload indicator, water level indicator).

The absence of electronic cards allows an easy and fast identification of any mulfunction, a very fast and less expensive repair, without need of specialized technicians

Versions

The 7500 D and PRO are equipped with suction nozzle and side brush both on the right and on the left side; the central roller brush is mounted on a frame oscillating transversely so that the waste collected by the group may be directed to the suction nozzle on the right or left. The suction can take place alternately on the right side or the left side. The suction mouth that is not used is automatically closed by a shutter operated by one (D version) or by two (PRO version) pneumatic cylinders. The solution with dual cylinder ensures a complete closure even in the presence of possible obstructions.

The road sweeper Dulevo 7500 is characterized by a robust structure obtained by using high quality materials and components, in order to achieve longer durability and better reliability.



The equipment of the Dulevo 7500 can of course be applied on the chassis of trucks of various brands including: Man, Mercedes, Renault, Volvo, BMC.
The wide range of optionals and accessories also allows customization tailored to specific needs.



TECHNICAL DATA		7500
Sweeping width (with third brush)	mm	2200
Side brushes	n°	2
Waste hopper capacity	m^3	6
Dumping height	mm	1150
Seats in the cabin	Nr	2
Cleaning performance	m^2/h	32400
Auxiliary engine Brand		IVECO
Fuel		DIESEL

DULEVO INTERNATIONAL S.P.A.
Via G.Guareschi,1 - 43012 - Fontanellato (Parma) Italia
ph: +39 0521 827711 - Fax: +39 0521 827795
info@dulevo.com - www.dulevo.com

CERTIFICAZIONE DI SISTEMA AMBIENTALE DNV·GL ISO 14001

CERTIFICAZIONE DI SISTEMA QUALITÀ DNV·GL ISO 9001

DULEVO FRANCE

DULEVO MEXICO

DULEVO INDIA

KREFELD DDV REINIGUNGSTECHNIK

asc DULEVO Australian Sweeper Company

Ed. 00-2016 - C (copyright) 2014 Dulevo International S.p.a.

Specifications are not binding for our company and subject to change at any time without notice